

# GoPresence Teams

Kit with 10x optical zoom camera, 360° pickup microphone, and built-in speaker



Pickup range  
of 19.6 ft (6m)



FullHD  
resolution



Plug-and-Play  
USB connectivity



PTZ  
camera

Perfect for medium and large meeting rooms, this kit — which includes a **camera**, a **tabletop speakerphone**, and a **central hub** — will redefine your videoconferencing experience.

Professional-grade audio and video quality: a **Full HD camera** with 10x optical zoom, **360° omnidirectional** microphone pickup, and a **built-in speaker**.



## Key Features

### Full HD Resolution up to 1080p

With Full HD 1080p resolution and 10x optical zoom, the kit's camera features a lens with a 90° field of view, delivering crystal-clear visuals without loss of quality.

### Omnidirectional Microphone

Equipped with 4 built-in microphones and 360° omnidirectional audio pickup over a 19.6 feet (6-meter) area, the system ensures superior audio quality and impeccable communication.

### Built-in Speaker

An all-in-one solution, the tabletop microphone includes a built-in speaker with a maximum volume of 95 dB and 16 levels of digital adjustment.

### Organize and Centralize Connections

The included hub serves as a cable organizer, ensuring a tidy and pleasant meeting room environment.

### Flexible USB Connectivity

To use the Teams Kit, simply connect it to your computer via USB cable – no drivers or additional software required. It ensures full compatibility with the leading videoconferencing applications on the market.

### Expand Your Audio Pickup Range

For meeting rooms requiring audio coverage beyond 19.6 feet (6 meters), optional expansion mics extend the pickup range up to 32.8 feet (10 meters).



## Technical Specifications

### Camera

- **Dimensions:** 6.1 x 4.4 x 5.4 inches (156,8 x 112,6 x 139,1 mm)
- **Weight:** 2.2 lbs (1 kg)
- **Sensor:** 1/2.9" Sony CMOS HD
- **Effective Pixels:** 2.07M, 16:9
- **Video Resolution:** 1920 x 1080p @30fps (Full HD)
- **Zoom:** 10x Optical
- **Support:** UVC (USB Video Class), H.264, and SVC (Scalable Video Coding)
- **Minimum Illumination:** 0.5 Lux (F1.8, AGC On)
- **Noise Reduction (DNR):** 2D & 3D
- **White Balance:** Auto / Manual / One Push / 3000K to 7000K
- Auto Focus
- **Backlight Compensation (BLC):** On/Off
- **WDR:** Off / Dynamic Adjustment Level
- **Video Adjustments:** Brightness, Color, Saturation, Contrast, Sharpness, B&W Mode, Gamma Curve
- **SNR:** > 50 dB
- **Field of View:** 90°
- **Rotation Angles:** Pan: ± 170°, Tilt: +35° / -45°
- **Speed Control:** Pan: 0.1 ~ 60°/s, Tilt: 0.1 ~ 30°/s
- **Preset Speed:** Pan 60°/s, Tilt 30°/s
- **Tripod Mount:** Standard 1/4" screw
- **LED Indicators:** Red and Green
- Auto Image Flip
- **Connection:** Mini DIN6

### Speakerphone

- **Dimensions:** 7.8 x 7.8 x 2.1 inches (200 x 200 x 55.9 mm)
- **Weight:** 2.8 lbs (1.3 kg)
- 4 built-in omnidirectional microphones
- Support for 2 external expansion microphones
- **AEC (Acoustic Echo Cancellation):** >65 dB
- **Echo Cancellation Extension:** ≥ 400ms
- **NC (Bidirectional Noise Compression):** < 25 dB
- EMI (Smart Microphone Directional Auto-Location Technology)
- AGC (Automatic Gain Control)
- **Frequency Response (Microphone):** 100Hz - 22kHz
- **Frequency Response (Speaker):** 100Hz - 22kHz
- **Speaker Volume:** Up to 95 dB
- **Sensitivity:** -35 dB ± 29 dB
- **Distortion:** < 1-3% at 1kHz
- **Microphone Pickup Range:** 19.6 feet (6 meters), 360° coverage
- **Wireless Audio:** Bluetooth
- **IR Reception:** 360° angle, up to 32.8 feet (10 meters)
- Full Duplex Microphone
- UWB audio (Ultra-Wide Band)
- **LED Indicators:** Mute (Red), Standby (Green), Bluetooth (Blue)
- **Control Buttons:** Calls, Camera, Mute, Volume, Zoom, Presets, Bluetooth
- **Numeric Keypad:** Save up to 3 camera presets
- **Connections:** Mini DIN6, RJ9

### Central Hub

- **Dimensions:** 4.7 x 2.9 x 1.2 inches (120 x 74 x 32 mm)
- **Weight:** 0.4 lbs (0.2 kg)
- **USB Cable:** USB 2.0 - 9.8 feet (3 meters)
- **Automatic Recognition:** Camera, Microphone, and Speaker
- **Plug-and-Play Connection:** USB
- **Hub Connections:**
  - 2 x Mini DIN6 Ports
  - 1 x Mini USB
  - Power Supply
- **Power Cable:** 9.8 feet (3 meters)
- **Power Input:** AC 110-240V ~ 50-60Hz - 0.8A (Bivolt)
- **Power Output:** DC 12.0V 2.0A (24W)
- **Connection Cables:** 2 x Mini DIN6 - 16.4 feet each (5 meters)
- **Compatible with:** Microsoft Teams, Google Meet, GoToMeeting, Lifesize, Zoom, Cisco Webex, and others.

### Expansion Microphones\*

- Two Microphones
- Mute Button
- LED Indicator
- **Dimensions:** 4.7 x 0.9 inches (12 x 2.5 cm)
- **Weight:** 1.1 lbs (0.5 kg)
- **Cable Length:** 9.8 feet each (3 meters)
- Wideband audio with Noise Cancellation
- **Pickup Range:** 6.5-feet (2-meter) diameter each

\*sold separately



## Technical Specifications

### Remote Control

- **Weight:** 0.17 lbs (0.08 kg)
- **Functions:** Power Off, Zoom, Volume Control, Camera Direction, Camera Centering, Call Management, Mute, 10 Camera Presets
- **Batteries:** 2 x AAA
- **Dimensions:** 1.77 x 7 x 0.9 inches (4.5 x 18 x 2.3 cm)

### System Requirements

- Windows 7 / 8.1 / 10 / 11, Mac OS X 10.7 or later, Google Chromebook 29 or later, Linux
- USB 2.0 Port

### Box Contents

- 1 x PTZ Camera
- 1 x Central Hub
- 1 x Speakerphone
- 1 x USB 2.0 Cable - 9.8 feet (3 meters)
- 2 x Mini DIN6 Cables - 16.4 feet each (5 meters)
- 1 x Power Adapter (Bivolt)
- 1 x Installation Guide
- 1 x Remote Control (includes 2 x AAA batteries)
- **Box Dimensions:** 18.7 x 10.4 x 6.6 inches (47.5 x 26.5 x 17 cm)
- **Box Weight:** 9 lbs (4.1 kg)

### Optional Accessories

- Extended Warranty
- Kensington Security Lock
- 15-meter Connection Cables
- Expansion Microphones
- Wall/Table/Ceiling Mount

### Warranty

- 2-year warranty

GoPresence © All rights reserved

